

## INDEX TO VOLUME 22

### A

- Abstinence symptomatology,  
associated with cessation of  
chronic cocaine abuse among  
methadone-maintained  
patients, 377-388
- Accidental fatal drug overdoses,  
135-146
- Adolescents, relationship of hardness  
to alcohol and drug use in,  
247-257
- Against medical advice (AMA)  
discharges, relation of to  
unscheduled admissions to a  
substance abuse unit,  
589-593
- Ager, J. W., 439-448
- Agosti, V., 29-39
- ALANON, effects of attendance at on  
family perception of inner-city  
indigents, 123-134
- Alcohol  
combined use of with cocaine,  
577-587  
detection of problems of in  
drug-dependent women of  
child-bearing age,  
563-575
- Allesandri, S., 349-362
- Atkinson, J., 299-311

- Attachment theory, as a working  
model for the therapist  
transitioning from early to later  
recovery substance abuse  
treatment, 533-547
- Avants, S. K., 377-388
- AZT. *See* Zidovudine

### B

- Ball, S. A., 449-462, 533-547
- Banks, S. M., 233-246, 363-375
- Barter, T., 489-495
- Batki, S. L., 475-487
- Becker, S., 75-93
- Behavioral adjustment, interaction  
between childhood  
temperament and parental  
discipline practices on in  
preadolescent sons of  
substance abuse and normal  
fathers, 335-348
- Bendersky, M., 349-362
- Berg, B. J., 589-593
- Berglas, N., 463-471
- Blackson, T. C., 335-348
- Boney, T. Y., 563-575
- Borne, D., 41-56
- Brady, K. T., 75-93
- Bransfield, S., 57-73

Buprenorphine maintenance, primary care based, for heroin dependence, 523-531

## C

Calsyn, D. A., 509-521

Carroll, K. M., 523-531

Case management, effects of on retention in prenatal substance abuse treatment, 439-448

Casteneda, R., 1-27

Cigarettes, combined use of cocaine with, 577-587

Clark, K. A., 403-422

Clark, L. L., 509-521

Cocaine

abstinence symptomatology associated with cessation of chronic abuse of among methadone-maintained patients, 377-388

combined use of with alcohol or cigarettes, 577-587

patient factors related to early attrition from an outpatient research clinic for, 29-39

predicting treatment retention of women dependent on, 313-333

the significance of a coexisting opioid use disorder in dependence on, 173-184

treatment of perinatal addiction to using the modified therapeutic community, 185-202

Cocaine addicts, with severe mental illness, treatment of along with singly diagnosed addicts, 497-507

Coexisting opioid use disorder, significance of in cocaine dependence, 173-184

Connors, G. J., 281-295

Counseling, schematic maps as cognitive tools for enhancement of the early stages of, 423-437

Crack abuse, correlates of among drug-using incarcerated women, 41-56

## D

Dansereau, D. F., 423-437

Dansky, B. S., 75-93

Data quality, of the Drug Abuse Warning Network, 389-401

Dees, S., 423-437

Dermatis, H., 549-561

Dermen, K. H., 281-295

Detoxification, rapid, for opiates, 489-495

Dhopesh, V., 589-593

Discipline practices, parental, interaction of with childhood temperament in association with behavioral adjustment in preadolescent sons of substance abuse and normal fathers, 335-348

Drug Abuse Warning Network, data quality of, 389-401

Drug overdoses, accidental fatal, 135-146

Drug use/abuse consequences, for vocational careers for male urban African-American sample, 57-73

- Drug use severity, reliability of  
paper-pencil assessment of,  
109-122
- Drug users, out of treatment,  
economic perceptions and  
expectations of, 299-311
- Drug-dependent women, of child-  
bearing age, detecting alcohol  
problems in, 563-575

E

- Economic perceptions and expec-  
tations, of out-of-treatment  
drug users, 299-311
- Edwards, H., 185-202, 497-507
- Egelko, S., 185-202, 497-507
- El-Bassel, N., 41-56
- Everett, A. S., 215-231

F

- Familial factors, in illicit drug abuse,  
147-172
- Family perception, of inner-city  
indigents, effects of ALANON  
attendance on, 123-134
- Fatal drug overdoses, accidental,  
135-146
- Feingold, A., 449-462
- Ferrando, S. J., 475-487
- Fleming, D., 203-213
- Forensic psychiatry, psychoactive  
substance use in, 1-27
- Free treatment on demand, implica-  
tions for HIV control of the  
response of injection drug users  
to, 203-213
- Friedeman, M.-L., 123-134
- Friedman, A. S., 57-73

G

- Galanter, M., 185-202, 497-507,  
549-561
- Garrett, J. A., 233-246, 363-375
- Gender differences
  - in HIV risk behaviors, retention in  
methadone maintenance  
associated with reductions in,  
509-521
  - in relation to victimization and  
PTSD in individuals with sub-  
stance use disorders, 75-93
- Gilbert, L., 41-56
- Gilbert, P., 349-362
- Goldfarb, L. M., 549-561
- Gooberman, L. L., 489-495
- Gould, J., 203-213
- Granick, S., 57-73

H

- Haas, N., 95-107
- Haier, R. J., 247-257
- Hardiness, relationship of to alcohol  
and drug abuse in adolescents,  
247-257
- Hartwell, N., 135-146
- Haug, N. A., 563-575
- Heithoff, K. A., 109-122
- Heroin dependence, primary-care-  
based buprenorphine  
maintenance for, 523-531
- Hirsch, C. S., 135-146
- HIV. *See* Human immunodeficiency  
virus
- Hospitalized patients, prevalence and  
detection of illicit drug  
disorders among, 463-471
- Hubbard, J. R., 215-231

- Hufford, C., 173-184  
 Huggins, N., 95-107  
 Human immunodeficiency virus (HIV)  
   control, implications of the  
     response of injection drug users  
     to free treatment on demand  
     for, 203-213  
   psychiatric morbidity, illicit drug  
     use, and adherence to AZT  
     among injection drug users  
     with, 475-487  
   risk behaviors, difference of for  
     women and men and retention  
     in methadone maintenance  
     associated with, 509-521

## I

- Illicit drug abuse, an interdisciplinary  
   perspective to familial factors  
   in, 147-172  
 Illicit drug disorders, prevalence  
   and detection of among  
   hospitalized patients,  
   463-471  
 Illicit drug use, among injection drug  
   users with HIV, 475-487  
 Incarcerated women, drug using,  
   correlates of crack abuse  
   among, 41-56  
 Injection drug users  
   with HIV, psychiatric morbidity,  
   illicit drug use, and adherence  
   to AZT among, 475-487  
   implications for HIV control of re-  
   sponse of to free treatment on  
   demand, 203-213  
 Inner-city indigents, effects of

- ALANON attendance on  
   family perception of, 123-134  
 Interdisciplinary approach, to familial  
   factors in illicit drug abuse,  
   147-172  
 Ivanoff, A., 41-56

## J

- Jackson, R., 509-521  
 Johnson intervention  
   comparison of with four other  
   methods of referral to  
   outpatient treatment,  
   233-246  
   and relapse during outpatient  
   treatment, 363-375

## K

- Kaskutas, L. A., 259-280  
 Katz, S., 497-507  
 Kermani, E. J., 1-27  
 Khan, M. A., 215-231  
 Khuder, S., 95-107  
 Killeen, T., 75-93  
 Kosten, T. R., 377-388, 523-531  
 Kranzler, H. R., 449-462  
 Kreisher, C., 57-73

## L

- Laken, M. P., 439-448  
 Legow, N. E., 533-547  
 Leon, A. C., 135-146

Lewis, M., 349-362  
 Lifshutz, H., 549-561  
 Loneck, B., 233-246, 363-375  
 Luther, S. S., 147-172

M

McCaul, M. E., 563-575  
 McDowell, D., 549-561  
 McLellan, A. T., 95-107  
 McMillan, D. E., 577-587  
 Maddi, S. R., 247-257  
 Margolin, A., 377-388  
 Marinelli, K., 185-202  
 Martin, S. L., 403-422  
 Martínez-Raga, J., 173-184  
 Marzuk, P. M., 135-146  
 Medical student attitudes, toward  
     religion and spirituality in the  
     recovery process, 549-561  
 Men, urban African-American, the  
     consequences of drug  
     use/abuse for vocational  
     careers of, 57-73  
 Mental illness, severe, treatment of  
     cocaine addicts with along with  
     singly diagnosed addicts,  
     497-507  
 Messer, K., 403-422  
 Methadone maintenance treatment  
     patients, abstinence symptoma-  
     tology associated with  
     cessation of chronic cocaine  
     abuse among, 377-388  
     prevalence of psychiatric  
     comorbidity in, 95-107  
     retention in associated with  
     reductions in different HIV risk  
     behaviors for women and men,  
     509-521  
 Mezzich, A. C., 335-348

Milby, J. B., 95-107  
 Modified therapeutic community, use  
     of for treatment of perinatal  
     cocaine addiction, 185-202  
 Montoya, I. D., 299-311

N

Nichols, L., 203-213  
 Nishimoto, R. H., 313-333  
 Nunes, E., 29-39

O

Ocepeck-Welikson, K., 29-39  
 O'Connor, P. G., 523-531  
 Oliveto, A., 523-531  
 Opioid use disorder, the significance  
     of coexistence of in cocaine  
     dependence, 173-184  
 O'Sullivan, P., 463-471  
 Out-of-treatment drug users,  
     economic perceptions and  
     expectations of, 299-311  
 Outpatient treatment  
     for cocaine, patient factors related  
     to early attrition from a clinic  
     for, 29-39  
     the Johnson intervention and  
     relapse during, 363-375  
     referral, a comparison of the  
     Johnson intervention with four  
     other methods of, 233-246

P

Paper-pencil assessment, reliability of  
     for assessment of drug use  
     severity, 109-122

- Patient attitudes, toward religion and spirituality in the recovery process, 549-561
- Patient factors, related to early attrition from an outpatient cocaine research clinic, 29-39
- Peel, J. L., 423-437
- Perinatal cocaine addiction, treatment of using the modified therapeutic community, 185-202
- Physical disabilities, alcohol and drug abuse in patients with, 215-231
- Portera, L., 135-146
- Posttraumatic stress disorder (PTSD), in individuals with substance use disorders, 75-93
- Preadolescent sons, of substance abuse and normal fathers, interaction between childhood temperament and parental discipline practices on behavioral adjustment in, 335-348
- Pregnant substance abusers characteristics of, 349-362 characteristics of associated with utilization of treatment services, 403-422
- Prenatal substance abuse treatment, effects of case management on retention in, 439-448
- Primary-care-based buprenorphine maintenance, for heroin dependence, 523-531
- Psychiatric comorbidity, prevalence of in methadone maintenance treatment, 95-107
- Psychiatric morbidity, among injection drug users with HIV, 475-487
- Psychoactive substance use, in forensic psychiatry, 1-27
- Psychoactive substances, generalizability of Type A/Type B distinction across, 449-462
- PTSD. *See* Posttraumatic stress disorder
- R**
- Racial differences, in relation to victimization and PTSD in individuals with substance use disorders, 75-93
- Rapid opiate detoxification, 489-495
- Relapse, during outpatient treatment, rate of for the Johnson intervention, 363-375
- Religion, medical student and patient attitudes toward in the recovery process, 549-561
- Ripple, C. H., 147-172
- Roberts, A. C., 313-333
- Roberts, C. D., 389-401
- Roitzsch, J., 75-93
- Rounsaville, B. J., 449-462, 523-531
- S**
- Safyer, S. F., 41-56
- Saladin, M. E., 75-93
- Saxon, A. J., 509-521
- Schematic maps, as cognitive tools for enhancing the early stages of counseling, 423-437
- Schilling, R. F., 41-56
- Schumacher, J. E., 95-107
- Schwartz, A., 57-73

- Screening
    - for alcohol problems in drug-dependent women of child-bearing age, 563-575
    - for illicit drug disorders among hospitalized patients, 463-471
  - Secular Organizations for Sobriety (SOS), characteristics of participants in, 281-295
  - Self-help
    - characteristics of participants in SOS, 281-295
    - pathways of among Women for Sobriety, 259-280
  - Self-reported information, reliability of paper-pencil assessment of drug use severity for, 109-122
  - Shi, J. M., 523-531
  - Sibthorpe, B., 203-213
  - Sims, M. K., 95-107
  - Singly diagnosed addicts, treatment of cocaine addicts with severe mental illness along with, 497-507
  - Sorenson, J. L., 475-487
  - Spirituality, medical student and patient attitudes toward in the recovery process, 549-561
  - Stajic, M., 135-146
  - Stein, M. D., 463-471
  - Substance abuse psychotherapy, attachment theory as a working model for the therapist transitioning from early to later recovery in, 533-547
  - Substance abuse treatment
    - prenatal, effects of case management on retention in, 439-448
    - relation of unscheduled admissions and AMA discharges from a unit for, 589-593
  - Substance use disorders, PTSD and victimization in individuals with, 75-93
  - Svikis, D. S., 563-575
- T
- Tardiff, K., 135-146
  - Tarter, R. E., 335-348
  - Tesselaar, H., 203-213
  - Treatment referral, outpatient, a comparison of the Johnson intervention with four other methods of, 233-246
  - Treatment retention
    - effects of case management on in prenatal substance abuse treatment, 439-448
    - methadone maintenance, association of with reductions in different HIV risk behaviors for women and men, 509-521
    - prediction of for women dependent on cocaine, 313-333
  - Triffleman, E., 523-531
  - Type A/Type B distinction, generalizability of across different psychoactive substances, 449-462
- U
- Unscheduled admissions, relation of to AMA discharges from a substance abuse unit, 589-593

## V

- Victimization, in individuals with substance use disorders, 75-93
- Vocational careers, the consequences of drug use/abuse for in a sample of male urban African-Americans, 57-73

## W

- Wadhwa, P., 247-257
- Wall, T. L., 475-487
- Weiss, R. D., 173-184
- Wells, E. A., 509-521
- Wilkinson, J., 463-471
- Wiseman, E. J., 109-122, 577-587
- Women
  - cocaine dependent, predicting treatment retention of, 313-333

- drug dependent of child-bearing age, detecting alcohol problems in, 563-575
- drug using incarcerated, correlates of crack abuse among, 41-56
- pregnant
  - characteristics of associated with utilization of substance abuse treatment services, 403-422
  - characteristics of as substance abusers, 349-362
- Women for Sobriety, pathways of self-help among, 259-280
- Woody, G., 95-107

## Z

- Zidovudine (AZT), adherence to among injection drug users with HIV, 475-487



